


COMPASSES

DANFORTH

QUEST™ SERIES - BRACKET MOUNT



Size:


- A 3" (76mm)
- B 2" (51mm)
- C 2-1/2" (64mm)
- D 1-3/4" (45mm)

	Code	Apparent card size	Card degrees	Mounting Style	Finish
	MM DNF C100	2" (51mm)	5°	Bracket	Black / Black Card
	MM DNF C101	2" (51mm)	5°	Bracket	White / Blue Card

	Code	Apparent card size	Card degrees	Bearing Lines	Finish
	MM DNF C102	2" (51mm)	5°	0°	Grey / Blue Card
	MM DNF C103	2" (51mm)	5°	0°	Yellow / Black Card

DANFORTH

QUEST™ SERIES - FLUSH MOUNT




Size:

- A 2" (51mm)
- B 1.65" (42mm)
- C 2.17" (55mm)
- D 1.79" (45mm)
- E 3.19" (81mm)

Code	Apparent card size	Card degrees	Mounting Style	Finish
MM DNF C105	2" (51mm)	5°	Flush	White / Blue Card

DANFORTH

SKIPPER™II SERIES - FLUSH MOUNT




Size:

- A 2-5/8" (67mm)
- B 1-3/4" (44mm)
- C 1-7/64" (28mm)
- D 2-7/8" (73mm)
- E 4-1/2" (115mm)
- F 2-7/8" (73mm)

	Code	Apparent card size	Card degrees	Bearing Lines	Finish
	MM DNF A92	2-5/8" (67mm)	5°	0°	Black with hood
	MM DNF A92G	2-5/8" (67mm)	5°	0°	Grey / Blue card with hood
	MM DNF A92W	2-5/8" (67mm)	5°	0°	White with hood

DANFORTH

SKIPPER™II SERIES - BRACKET MOUNT



Size:


- A 4" (102mm)
- B 2-5/8" (67mm)
- C 3-5/16" (84mm)
- D 2-3/8" (60mm)

	Code	Apparent card size	Card degrees	Bearing Lines	Finish
	MM DNF A91	2-5/8" (67mm)	5°	0°	Black
	MM DNF A91G	2-5/8" (67mm)	5°	0°	Grey / Blue Card

	Code	Apparent card size	Card degrees	Bearing Lines	Finish
	MM DNF A91W	2-5/8" (67mm)	5°	0°	White / White card

DANFORTH

SKIPPER™II SERIES - SURFACE MOUNT




Size:

- A 4" (102mm)
- B 2-5/8" (67mm)
- C 3-5/16" (84mm)
- D 2-3/8" (60mm)

	Code	Apparent card size	Card degrees	Bearing Lines	Finish
	MM DNF A93B	2-5/8" (67mm)	5°	0°	Black
	MM DNF A93G	2-5/8" (67mm)	5°	0°	Grey / Blue Card

DANFORTH

CRUISER™ SERIES - FLUSH MOUNT




Size:

- A 4-7/8" (124mm)
- B 2" (51mm)
- C 2" (51mm)
- D 3-1/4" (83mm)

	Code	Apparent card size	Card degrees	Bearing Lines	Finish
	MM DNF A154	3-3/8" (86mm)	5°	0°/45°	Black / Black Card
	MM DNF C351B	3-3/8" (86mm)	5°	0°/45°	Black / Blue Card
	MM DNF A154W	3-3/8" (86mm)	5°	0°/45°	White / Black Card
	MM DNF A154WB	3-3/8" (86mm)	5°	0°/45°	White / Blue Card

DANFORTH

CRUISER™ SERIES - BRACKET MOUNT




Size:
 A 5-1/16" (129mm)
 B 3-3/8" (86mm)
 C 5-1/4" (133mm)
 D 1" (25mm)

	Code	Apparent card size	Card degrees	Bearing Lines	Finish
	MM DNF A150	3-3/8" (86mm)	5°	0°/45°	Black

DANFORTH

CRUISER™ SERIES - BINNACLE MOUNT




Size:
 A 5-15/16" (151mm)
 B 3-3/8" (86mm)
 C 4-7/8" (124mm)

	Code	Apparent card size	Card degrees	Bearing Lines	Finish
	MM DNF A152	3-3/8" (86mm)	5°	0°/45°	Black

DANFORTH

CORSAIR®IV SERIES FLUSH MOUNT




Size:
 A 5" (127mm)
 B 3-3/4" (95mm)
 C 3" (76mm)
 D 2-1/4" (57mm)
 E 3-3/4" (95mm)

	Code	Apparent card size	Card degrees	Bearing Lines	Finish
	MM DNF C399D-3	3-3/4" (95mm)	5°	0°/45°/180°	Black / Black Card
	MM DNF C399D-3W	3-3/4" (95mm)	5°	0°/45°/180°	White / Black card (C399DW)
	MM DNF C399D-3WB	3-3/4" (95mm)	5°	0°/45°/180°	White / Black card (C399DW)

	Code	Apparent card size	Card degrees	Bearing Lines	Finish
	MM DNF C399F-3	3-3/4" (95mm)	5°	0°/45°	Black / Black Card
	MM DNF C399F-3W	3-3/4" (95mm)	5°	0°/45°	White / White Card
	MM DNF C399-3	3-3/4" (95mm)	5°	0°/45°/180°	Black / Black Card
	MM DNF C399-3W	3-3/4" (95mm)	5°	0°/45°/180°	White / White card

DANFORTH

CORSAIR®IV SERIES BINNACLE MOUNT



Size:
 A 5-5/8" (143mm)
 B 3-3/4" (95mm)
 C 6" (152mm)
 D 5-7/8" (150mm)


	Code	Apparent card size	Card degrees	Bearing Lines	Finish
	MM DNF C352-3	3-3/4" (95mm)	5°	0°/45°/180°	Black
	MM DNF C352-3W	3-3/4" (95mm)	5°	0°/45°/180°	White
	MM DNF C352F-3	3-3/4" (95mm)	5°	0°/45°	Black

FOLLOW US ON Twitter!
www.twitter.com/mansuetomarine



DANFORTH

CORSAIR®IV SERIES BRACKET MOUNT




- Size:
 A 6" (152mm)
 B 3-3/4" (95mm)
 C 6" (152mm)
 D 3" (76mm)

	Code	Apparent card size	Card degrees	Bearing Lines	Finish
	MM DNF C398F-3	3-3/4" (95mm)	5°	0°/45°	Black
	MM DNF C398-3	3-3/4" (95mm)	5°	0°/45°/180°	Black

DANFORTH

SATURN® SERIES BULKHEAD MOUNT



- Size:
 A 2-3/4" (70mm)
 B 2-5/16" (59mm)
 C 5-5/8" (143mm)
 D 3-3/4" (95mm)
 E 4" (102mm)


	Code	Apparent card size	Card degrees	Bearing Lines	Finish
	MM DNF A140	3-3/4" (95mm)	5°	0°/45°/180°	Black/Red Card
	MM DNF A142	3-3/4" (95mm)	5°	0°/45°/180°	Black / Black Card
	MM DNF A149	3-3/4" (95mm)	5°	0°/45°	Black / Black Card

FIND US ON facebook!
www.facebook.com/mansuetomarine




DANFORTH

CONSTELLATION® FAMILY SERIES FLUSH MOUNT DUAL READ CARD



- Size:
 A 4-1/2" (114mm)
 B 3-3/8" (86mm)
 C 6-1/4" (159mm)
 D 2" (51mm)

	Code	Apparent card size	Card degrees	Bearing Lines	Finish
	MM DNF C401D	4-1/2" (114mm)	5°	0°/45°/180°	Black / Black Card
	MM DNF C401DWB	4-1/2" (114mm)	5°	0°/45°/180°	White / Blue Card



- Size:
 A 4-1/2" (114mm)
 B 3-1/32" (77mm)
 C 6-1/4" (159mm)
 D 2-1/2" (64mm)




A hard plastic cover is included with all C402 models.

	Code	Apparent card size	Card degrees	Bearing Lines	Finish
	MM DNF C402DB	4-1/2" (114mm)	5°	0°/45°/180°	Black / Blue Card

DANFORTH

CONSTELLATION® FAMILY SERIES FLUSH MOUNT FLAT CARD




- Size:
 A 4-1/2" (114mm)
 B 3-3/8" (86mm)
 C 6-1/4" (159mm)
 D 2" (51mm)

	Code	Apparent card size	Card degrees	Bearing Lines	Finish
	MM DNF C401	4-1/2" (114mm)	5°	0°/45°/180°	Black / Blue card
	MM DNF C401WB	4-1/2" (114mm)	5°	0°/45°/180°	White / Blue card

DANFORTH

**CONSTELLATION® FAMILY SERIES
FLUSH MOUNT FLAT CARD**



Size:

- A 4-1/2" (114mm)
- B 3-1/32" (77mm)
- C 6-1/4" (159mm)
- D 2-1/2" (64mm)




A hard plastic cover is included with all C402 models.

	Code	Apparent card size	Card degrees	Bearing Lines	Finish
	MM DNF C402	4-1/2" (114mm)	5°	0°/45°/180°	Black / Black card (C402)
	MM DNF C402B	4-1/2" (114mm)	5°	0°/45°/180°	Black / Blue card
	MM DNF C402W	4-1/2" (114mm)	5°	0°/45°/180°	White / White card

DANFORTH

**CONSTELLATION® FAMILY SERIES
FLUSH MOUNT HI-SPEED®**




Size:

- A 6-1/2" (165mm)
- B 4" (102mm)
- C 7-1/2" (191mm)
- D 4-1/4" (114mm)
- E 3-1/2" (89mm)

	Code	Apparent card size	Card degrees	Bearing Lines	Finish
	MM DNF C561HS	5-1/2" (140mm)	5°	0°/45°/180°	Black / Black card

DANFORTH

**CONSTELLATION® FAMILY SERIES
EXPRESS® BINNACLE REMOVEABLE COMPASS**



Size:

- A 6-15/16" (176mm)
- B 7-3/8" (187mm)

	Code	Apparent card size	Card degrees	Bearing Lines	Finish
	MM DNF C468	5" (127mm)	5°	0°/45°/180°	Black / Black card

BINOCULARS

OUTSTANDING STEINER PRODUCTS FEATURES

- » Temperature resistant
- » NBR-Longlife Rubber Armouring
- » STEINER Sports-Auto-Focus
- » Extreme ruggedness
- » Ergonomic design & Comfort Grip
- » Nitrogen-Pressure-System (2-way valve technology)



COMMANDER XP 7X50 MARINE BINOCULARS - EXPERT

	Code	Magnification x Objective Ø	Weight	Dimensions (WxHxD)	Compass	Bearing
	MM STE 7450	7 times x 50 mm	1040 gr	206x157x75 mm	-	-
	MM STE 7550	7 times x 50 mm	1140gr	206x157x97 mm	High Precision HD-stabilized	Precise Reticle
<p>COMMANDER 7x50 7x50 with compass</p> <p>COMMON FEATURES</p> <ul style="list-style-type: none"> Temperature Range: -40° to +80°C Exit pupil: 7.1 mm Luminosity: 51 Twilight Factor: 18.7 Field of View at 1000m: >130m High Definition Optics STEINER Nano-Protection (unsurpassed clear viewig) Water pressure proof: up to 10mt Ergoflex eyecups (ergonomic, cylindrical, folded over) Strap attachment: ClicLoc (binoculars always remain firmly in the strap) 						



High-quality standard accessories

Commander binoculars are delivered in a high-quality wooden case equipped with comfortable and floating carrying strap, rain protection cap for eyepieces and objective covers.

Steiner Commander XP 7x30 with or without compass also available.



COMMANDER 7X50 RACE EDITION MARINE BINOCULARS – EXPERT

	Code	Magnification x Objective Ø	Weight	Dimensions (WxHxD)	Compass	Bearing
	MM STE 7470	7 times x 50 mm	1040 gr	206x157x75 mm	-	-
	MM STE 7540	7 times x 50 mm	1140gr	206x157x97 mm	High Precision HD-stabilized	Precise Reticle
COMMANDER RACE EDITION 7x50 7x50 with compass COMMON FEATURES	Temperature Range: -40° to +80°C					
	Exit pupil: 7.1 mm					
	Luminosity: 51					
	Twilight Factor: 18.7					
	Field of View at 1000m: >130m					
	High Definition Optics					
	STEINER Nano-Protection (unsurpassed clear viewig)					
	Water pressure proof: up to 10mt					
Ergoflex eyecups (ergonomic, cylindrical, folded over)						
Strap attachment: ClicLoc (binoculars always remain firmly in the strap)						

High-quality standard accessories

Commander Race Edition binoculars are delivered in a high-quality case equipped with comfortable and floating carrying strap, rain guard cap for eyepieces and objective covers.



NAVIGATOR 7X50 MARINE BINOCULARS - PROFESSIONAL

	Code	Magnification x Objective Ø	Weight	Dimensions (WxHxD)	Compass	Bearing
	MM STE 7635	7 times x 50 mm	1030 gr	207x140x75 mm	-	-
	MM STE 7135	7 times x 50 mm	1110 gr	207x140x95 mm	HD-stabilized	Bearing Mark
NAVIGATOR 7x50 7x50 with compass COMMON FEATURES	Temperature Range: -20° to +60°C					
	Exit pupil: 7.1 mm					
	Luminosity: 51					
	Twilight Factor: 18.7					
	Field of View at 1000m: >123m					
	High Contrast Optics					
	Water pressure proof: up to 2mt					
	Cylindric-soft eyecups (cylindrical, folded over)					
Carrying strap: robust						
Strap attachment: standard						



High-quality standard accessories

Navigator binoculars are delivered in a nice gear bag including carrying strap, rain protection cap for eyepieces and objective covers.

Steiner Navigator 7x30 with or without compass also available.

MANSUETO MARINE



BUSHNELL WATERPROOF BINOCULARS WITH BUILT-IN COMPASS

	Code	Magnification x obj. lens Ø	Focus	Prism	Field of view	Mini focus distance	Ø exit pupil	Eye relief	Twist-up eye cups	Weight	Adapts to tripod
	MM PLS 54927	7 x 50	-	Roof - BAK-4	116 m	4 m	7.1 mm	17.5 mm	✓	976 g	✓
	MM PLS 56084	8 x 25	-	Roof - BAK-4	142 m	4.6 m	3.1 mm	12 mm	✓	369 g	-
	MM PLS 56085	8 x 42	Central	Porro - BAK-4	121 m	3.6 m	5.3 mm	17 mm	✓	708.5 g	-



WATERPROOF 7X50 MARINE BINOCULARS

	Code	Field of view	Tightness	Focus	Prism	Coating	Colour	Height	Weight
	MM PLS 40562	116 m	Waterproof	Central	BAK-4	Multi + green	Yellow-Black	200 mm	989
	MM PLS 53259	115 m	Waterproof	Autofocus	BAK-4	Multi + green	Black	200 mm	989
	MM PLS 53260	131 m	Waterproof	Autofocus + 2 eye-focus Built-in compass	BAK-4	Multi + ruby	Navy blue	157 mm	1380

All binoculars are supplied with carrying case, neck strap and cleaning cloth.

For any other brand and type of binoculars please send your inquiry to info@mansuetomarine.it Our quote will be submitted promptly.

www.mansuetomarine.it



MARINE BINOCULARS 7 X 50

	Code	Field of view	Tightness	Focus	Prism	Coating	Colour	Height	Case	Weight
	MM PLS 40561	119 m	Water repellent	Autofocus	BAK-7	Fully	Black	175 mm	Flexible	790 g
	MM PLS 57081	116 m	Water repellent	Autofocus	BAK-4	Green	Blue-Black	195 mm	Flexible	884 g
	MM PLS 56249	122 m	Water repellent	Central + eye focus	BAK-7	Multi	Black	170 mm	Flexible	850 g

All binoculars are supplied with carrying case, neck strap and cleaning cloth.



OUTDOOR BINOCULARS

	Code	Magnification x obj. lens Ø	Field of view	Tightness	Focus	Prism	Coating	Colour	Height	Weight
	MM PLS 56250	10 x 50	93 m	Water-repellent	Central	BAK-7	Multi + ruby	Grey/black	190 mm	785
	MM PLS 56253	8 x 42	129 m	Waterproof	Central + eye	BAK-4	Multi + green	Black	135 mm	665
	MM PLS 56251	8 x 21	122 m	-	Central + eye	BAK-7	Multi + ruby	Blue-Black	75 mm	180
	MM PLS 56252	8 x 21	128 m	-	Central + eye	BAK-7	Fully	Grey/black	95 mm	175