



UNDERWATER SCOOTERS



SEABOB F5 S



- **Performance up to:** 4.0 kW
- **Maximum thrust up to:** 680 N
- **Speed over water up to:** 20 km/h
- **Speed under water up to:** 15 km/h
- **Speed control:** 6 power levels between 0 % and 100 % via piezo buttons
- **Energy:** High-Energy Lithium-Manganese accumulators
- **Total capacity approx.:** 1.8 kWh; 48 V; 38 Ah
- **Diving depth:** 40 m
- **Special equipment:** Securing device for Pilot belt system
- **Extras:** Elements in a chrome design

Code	Operating time <i>Average</i>	Charging time <i>Approx.</i>		Dimensions L x W x H <i>mm</i>	Weight <i>Approx.</i>	Buoyancy in water <i>Approx.</i>
		Standard ch.	Quick ch.			
MM SBB F5S	60 minutes	8 hours	1.5 hours	1.152 x 507 x 372	35 kg	10 kg

Available Colours



Special Colours





SEABOB F5



- **Shell:** Hard-integral plastic technology.
- **Motor:** Performance up to 2.1 kW.
- **Drive:** Maximum thrust up to 480 N.
- **Speed:** Depending on conditions over water up to: 15 km/h.
Depending on conditions under water up to: 11 km/h.
- **Motor control:** Speed control in 4 power levels between 0% and 100% via piezo buttons.
- **Energy:** High-Energy Lithium-Manganese accumulators.
- **Total capacity approx.:** 1.1 kW/h; 48 V; 23 Ah.
- **Steering:** By simply shifting body weight (left – right, down – up, over and under water).
High degree of manoeuvrability. It can be used in both small and large pool complexes.
- **Max diving depth:** 40 metres.

Code	Operating time Average	Charging time Approx.		Dimensions L x W x H mm	Weight Approx.	Buoyancy in water Approx.
		Standard ch.	Quick ch.			
MM SBB F5	60 minutes	8 hours	70 minutes*	1152 x 507 x 372	29 kg	14 kg

* mains voltage 230 V

Available Colours



CUSTOM COLOURS
AVAILABLE ON SPECIFIC REQUEST.



Here one of our creations:
Gulf Racing Colours



SEABOB ACCESSORIES



Quick Charger
For extremely short charging times.
Code: MM SBB QUICKCH



Bag
Your bag for on the way and travelling.
Code: MM SBB BAG



Rack
The secure wall and floor holding device.
Code: MM SBB RACK



Weight
For professional scuba diving with your SEABOB.
Code: MM SBB WEIGHT



Cart
To easily take your SEABOB with you.
Code: MM SBB CART



Pilot Belt System
For sporty driving in the high speed range (size S, M, L, or XL).
Code: MM SBB PBSYS

YOUR SEABOB NEEDS SERVICE or REPAIR?

Mansueto Marine provides for diagnostics, maintenance works and technical assistance after sale

GET APP!

Download our App and get your quote within 24 hours!



SEADOO® SEASCOOTER™ EXPLORER™ X - PROFESSIONAL SCOOTER



- 3-level rotational speed control
- 3-stage seal waterproof construction
- 4 ballast weights for buoyancy adjustment
- Battery chamber depressurization vent
- High visibility colour for easy underwater spotting
- Superior safety features include: auto shut off when triggers released, battery life indicator, thermal switch function and water leakage sensor with audible alert

Code	Speed	Run Time	Depth (advised)	Weight (including battery)
MM SEA SD6541-X	up to 3.3 MPH - 5.3 KM/H	2 hours*	130' - 40 m	32 lbs - 14.5 Kg

*with normal use



SEA-DOO® SEASCOOTER™ VS SUPERCHARGED PLUS - PROFESSIONAL SCOOTER



- 2-level rotational speed control
- 2-stage seal waterproof construction
- Removable buoyancy control chamber
- NEW impact-resistant rubber protection features
- Superior safety features include: auto shut off when triggers released, thermal switch function and water leakage sensor

Code	Speed	Run Time	Depth (advised)	Weight (including battery)
MM SEA SD6545-P	up to 3 MPH - 4.8 KM/H	1.5 hours*	100' - 30 m	18 lbs - 8.2 Kg

*with normal use



SEA-DOO® SEASCOOTER™ GTI - PROFESSIONAL SCOOTER



- Waterproof construction prevents accidental flooding
- Adjustable buoyancy

Code	Speed	Run Time	Depth (advised)	Weight (including battery)
MM SEA SDS540	up to 2.5 MPH - 4 KM/H	2 hours*	100' - 30 m	18 lbs - 8.2 Kg

*with normal use



SEA-DOO® SEASCOOTER™ PRO - PROFESSIONAL SCOOTER



- Adjustable buoyancy

Code	Speed	Run Time	Depth (advised)	Weight (including battery)
MM SEA SD75001	up to 2 MPH - 3.2 KM/H	1 hours*	65' - 20 m	13 lbs - 6 Kg

*with normal use

MANSUETO MARINE



BLADEFISH™

SEAJET DIVE SCOOTERS



1000 2000 3000 4000 5000 7000

Code	Battery	Power Rating	Motor	RPM (max)	No. of Speeds	Speed Rating	Depth Rating	Constant Use Time	Normal Use Time	Weight	Dimensions cm
MM BLA 1000	Lithium Ion 12V	120 Watts	12V	400	single	3.25 km/h	20m	25 mins	40 mins	3.8kg	38 x 36 x 16
MM BLA 2000	Lithium Ion 12V (duo)	140 Watts	12V	450	single	3.5 km/h	20m	45 mins	70 mins	4.5kg	38 x 36 x 16
MM BLA 3000	Lithium Ion 18V	200 Watts	18V	500	single	4.25 km/h	30m	25 mins	40 mins	4.4kg	38 x 36 x 16
MM BLA 4000	Lithium Ion 18V	220 Watts	18V	525	twin speed	4.75 km/h	30m	25-35 mins	40-55 mins	4.4kg	38 x 36 x 16
MM BLA 5000	Lithium Ion 18V (duo)	240 Watts	18V	550	three speed	5.25 km/h	40m	45-90 mins	70-120 mins	4.9kg	38 x 36 x 16
MM BLA 7000T	Lithium Ion 18V	280 Watts	18V	640	four speed	6.5 km/h	40m	-	55-120 mins	4.9kg	38 x 36 x 16

ADDITIONAL SPECIFICATIONS							
Code	Buoyancy	Equipment	Storage bag	Soft Grip Handles	Li Ion Capacity (airline approved)	Charger Type	Charging Time
MM BLA 1000	Positive	<ul style="list-style-type: none"> • Computer controlled circuitry • Double seals • battery life meter 	●	No	45Wh	Standard	4 hrs
MM BLA 2000	Neutral		●	No	89Wh	Standard	7 hrs
MM BLA 3000	Neutral		●	Yes	74Wh	Fast	2 hrs
MM BLA 4000	Neutral		●	Yes	89Wh	Fast	2 hrs
MM BLA 5000	Adjustable (with specialised floats)		●	Yes	150Wh	Fast	4 hrs
MM BLA 7000T	Adjustable (with specialised floats)	<ul style="list-style-type: none"> • Computer controlled circuitry • Triple seals • Battery life meter • Camera Mounting 	●	Yes	150Wh	Fast	4/2 hrs

ALL OUR PRODUCTS ARE DISTRIBUTED IN EVERY
CAPTAIN MARINE STORE

www.captainmarine.it
Find your nearest **CMS**



www.mansuetomarine.it

INFLATABLES & TOWABLES



INFLATABLES WATER SLIDE

Codes: MM FSC LS (Leg Supported slide, height > 5 mt)
MM FSC NLS (Non-Leg Supported slide, height < or = 5 mt)

AirStairs™

Ultra strong and lightweight, our unique AirStairs™ are fitted with a non-slip surface, providing a safe and comfortable ascent.

Handles for Comfort

Handles are placed in ergonomically comfortable positions in the climb area, assisting all participants to board the slide with ease.

Pressure Relief & Fill Valves

Tried and tested fill valves and relief valves to ensure that your slide is at a consistent equilibrium of pressure.

Hose Chase

All Cruiser™ slides come standard with a hose chase mounted on each side of the slide entry to hide the water hose during operation.

Cover Sheet


The Cruiser™ slide cover sheet is designed with an ultra slick surface which propels riders quickly down the slide. The sheet can be customized with your logo.

Logo Printing

Customize your slide by printing your logo or message on each side up to 305 cm wide. Four colour screen printing, hand painting or digital printing are available.



Each Individual Cruiser slide is custom built to the exacting specifications of your yacht



INFLATABLE CLIMBING WALL

Code: MM GYC CW

- Innovative mega yacht toy attachable to the side of the vessel.
- Top quality 0.60 PVC, synthetic ropes and specialist accessories.
- 3 different route types, each one characterized by a different colour to indicate the difficulty.
- Routes have been designed by professional rock climbers and can be customized according to the customer.
- Green holds: easy and ergonomic (beginners).
- Yellow holds: medium degree of difficulty (intermediate).
- Red holds: are smaller and positioned in a way to make the climbing very difficult (difficult).
- Standard size: 5x3mt, 110kg. It can be totally customized to suit the shape of the yacht, with hikes to the peak either vertical and horizontal.
- Easy to handle, light and compact, quick inflation (17 minutes), emergency valve for deflation
- Multi-functional toy; when not in use as the wall, it can be laid on the water, upside down and used as a large floating platform for sunbathing.



MANSUETO MARINE



QUEST 3 - INFLATABLE TOWABLE (3 RIDERS)

Code: MM COY QUEST3

- 76" L x 96" W (deflated)
- Fully covered, sit-on-top tube for 3 riders
- Inflatable backrest with divided "rider zones"
- 840D nylon cover with heavy duty PVC bladder
- 30 Ga. PVC bladder
- 8 Fully padded handles with knuckle guards
- Slight taper from front to the back
- Boston Valve with padded cover
- Delrin Quick Connect fitting, covered mesh bottom drains
- Peel and Stick repair kit included
- Pre-assembled



FUN 3 - INFLATABLE TOWABLE (3 RIDERS)

Codes MM COY FUN3

- 70" L x 78" W (deflated)
- Deluxe, fully covered, 3 rider deck tube
- Can be ridden seated or "chariot style"
- Pulls from two different ends
- 840D nylon cover
- 30 Ga. PVC bladder
- EVA seat padding at each rider position
- 6 fully padded handles with knuckle guards
- 8 padded grab straps
- Inflatable backrest surrounds riders
- 2-way towing
- Boston Valve with padded cover
- Delrin Quick Connect fitting, covered mesh bottom drains
- Peel and Stick repair kit included
- Pre-assembled



DUALY DELUXE - INFLATABLE TOWABLE (2 RIDERS)

Code: MM COY DUALYDELUXE

- 76" L X 70" W (deflated)
- Fully covered, deluxe 2-person tube
- 840 Denier coated nylon cover
- Fully enclosed 28 Ga. PVC bladder
- Inflatable back supports
- Inflatable seat cushions
- 4 padded handles with knuckle guards
- Boston Valve
- Delrin Quick Connect fitting, covered mesh bottom drains
- Peel and Stick repair kit included
- Pre-assembled.



www.mansuetomarine.it

CONNELY

WING DELUXE - INFLATABLE TOWABLE (1 RIDER)

Code: MM COY WINGDELUXE

- 63" L x 54" W (deflated)
- Fully covered speedster
- 420D cover with fully enclosed heavy duty PVC bladder
- Padded seat
- Inflatable backrest
- 4 fully padded handles with knuckle guards
- Boston Valve, Delrin Quick Connect fitting
- Peel and Stick repair kit included
- Pre-assembled



CONNELY

SPIN CYCLE - INFLATABLE TOWABLE (1 RIDER)

Code: MM COY SPINCYCLE

- 54" Diameter (deflated)
- Single rider tube
- 420 D Nylon Cover with heavy duty PVC bladder
- Designed specifically for the smaller rider, with smaller seat hole and handles
- 4 padded handles with knuckle guards
- Boston Valve, Delrin Quick Connect fitting
- Peel and Stick repair kit included



HORNET - INFLATABLE TOWABLE (1 RIDER)

Code: MM HOS HORNET

- 54" diameter (deflated)
- HO quick connect tow attachment
- Quick and easy inflation and deflation
- Nylon webbing covered soft foam handles
- Guaranteed lasting quality with our 1 year limited warranty
- 2K tube rope required



TYPHOON - INFLATABLE TOWABLE (2 RIDERS)

Code: MM HOS TYPHOON

- 66" diameter (deflated)
- "D" - shape tube
- HO quick connect tow attachment
- Heavy-duty Boston valve – Quick and easy inflation and deflation
- Nylon webbing covered soft foam handles
- Guaranteed lasting quality with our 1 year limited warranty
- 2k tube rope required



MANSUETO MARINE



FORMULA 3 - INFLATABLE TOWABLE (3 RIDERS)

Code: MM HOS FORMULA3

- 94" L x 90" W (inflated)
- Secure, cockpit style seating
- HO quick connect tow attachment
- Heavy-duty Boston valve – Quick and easy inflation and deflation
- Nylon webbing covered soft foam handles
- Guaranteed lasting quality with our 1 year limited warranty
- 4k tube rope required



EXTREME XL - INFLATABLE TOWABLE (4-6 RIDERS)

Code: MM HOS EXTREMEXL

- 90" L x 90" W (inflated)
- Inflatable side bolsters for extra stability
- HO quick connect tow attachment
- Heavy duty Boston valve – Quick and easy inflation and deflation
- Nylon webbing covered soft foam handles
- Guaranteed lasting quality with our 1 year limited warranty
- 4k tube rope required



FLYFISH - INFLATABLE TOWABLES



FF200



FF300



FF600

Code	Model	Length overall cm/ft-inches	Length inside cm/ft-inches	Width overall cm/ft-inches	Width inside cm/ft-inches	Tube diameter cm/inches	No. of chambers	Max payload kg/lbs	Max passengers	Weight kg/lbs
MM ZEB FF200	FF200	279/9'2"	170/5'7"	270/8'10"	50/20"	35/14"	3+2	250/551	2	27/60
MM ZEB FF300	FF300	298/9'9"	196/6'5"	323/10'7"	50/20"	46/18"	3+2+2	300/661	3	37/82
MM ZEB FF600	FF600	369/12'	225/7'5"	440/14'5"	48/19"	52/20"	4+2+4	400/881	6	45/99

Standard Features:

- Main tube fabric: 1,000 denier/ 0.9 mm thickness
- Heavy duty reinforcement
- Strong towing patches
- Soft handles
- Stainless steel d-rings

www.mansuetomarine.it

Standard Equipment:

- Carrying bag
- Hand piston pump
- Repair kit
- Towing rope
- Owner's manual



WATER BANANAS - INFLATABLE TOWABLES



300NW

500NW

700NW

1000NW(D)

Code	Model	Length overall cm/ft-inches	Width overall cm/ft-inches	Tube diameter cm/inches	Side tube diameter cm/inches	No. of chambers	Max payload kg/lbs	Max passengers	Weight kg/lbs
MM ZEB 300NW	300NW	425/13'11"	120/3'11"	52/21"	30/12"	3	250/551	3	19/42
MM ZEB 500W	500W	567/18'7"	134/4'5"	66/26"	34/13"	3	500/1102	5	30/66
MM ZEB 600W	600W(D)	418/13'9"	234/7'8"	66/26"	34/13"	5	700/1543	6	60/132
MM ZEB 500NW	500NW	555/18'3"	120/3'11"	52/21"	30/12"	3	440/970	5	26/57
MM ZEB 700NW	700NW	685/22'6"	120/3'11"	52/21"	34/13"	3	630/1389	7	31/68
MM ZEB 1000NW	1000NW(D)	555/18'3"	206/6'9"	52/21"	34/13"	5	900/1984	10	48/106

Standard Features:

- Main tube fabric: 1,000 denier/ 0.9 mm thickness
- Side rubbing stake on the side tube
- Reinforced shackle d-rings
- Soft handles

Standard Equipment:

- Carrying bag
- Bellow pump
- Repair kit
- Towing rope
- Owner's manual

Optional items:

- Top seat patch
- Bottom wear patch

The following inflatable towables brands are also available



MANSUETO MARINE



KAYAKS



CANOE KAYAKS

Tribal Kayak

Sit-on-top - Polyethylene type

- Capacity: 3 persons
- Length: 3,90 m
- Width: 0,90 m
- Height: 0,30 m
- Weight: 30 kg
- Max weight of kayaker: 95 kg
- Max load: 250 kg
- Level: all
- Stackable
- Self draining
- Both for mini-expeditions and for long cruises (sea or river)
- Light and easy to carry



Available Colours



Mid-Way Kayak

Sea Kayak - Polyethylene type

- Capacity: 1 person
- Length: 4,40 m
- Width: 0,65 m
- Height: 0,65 m
- Weight: 23 kg
- Max weight of kayaker: 95 kg
- Level: all
- Self draining
- Combination of performances of a traditional sea kayak (smoothness, speed, technical qualities) with those of a sit-on-top one (comfort, stability, safety).



Available Colours



RUNNING PADDLES



Model: Running
Sizes: 210, 215 and 220 cm
Colour: yellow/black

Features:

- For calm water and sea tours
- Aluminium shaft reinforced
- Blades loaded polypropylene

SEARUN PADDLES



Model: Searun
Sizes: 210, 215 and 220 cm
Colour: yellow/black

Features:

- For calm water and sea tours
- Aluminium shaft reinforced
- Blades loaded polypropylene
- Great fluidity

Other paddles models available.

www.mansuetomarine.it

WATERTIGHT BARRELS (SMALL SIZES)



Food grade PE
Sizes available: 3, 6, 10, 20 and 25lt

WATERTIGHT BARRELS (BIG SIZES)



Food grade PE
Sizes available: 40, 55 and 68lt
Fold down handles

LIFE BUOYANCY AID



See buoyancy aid vests on page 237 section 11, for further details

COMFORT SEAT



- Thermocompressed seat
- 3 fixing point
- Made for sit-on-top kayaks range
- Maintains and increases comfort

OTHER ACCESSORIES

Stowage straps, Security ropes, Towing rope, Plastic scoop, Trolleys, Plugs, Fixed and directional rod holders.



INFLATABLE KAYAKS



RTM KEO



RTM KEO DUO

These kayaks are highly versatile, large and lightweight, they are adapted to both whitewater and lazy rivers. Unique self-bailing feature allows the option to open several valves on each side for quick draining.

Code	Model	Specs	Uses
MM RTM KEO	KEO Single Kayak	Length: 290 cm / 9'6" Width: 96 cm / 37' 8" Depth: 34 cm / 13'4" Packaging dimensions: 60x40x38 cm Weight: 15 Kg / 33 Lbs	Mainly for experienced paddlers in whitewater
MM RTM KEO DUO	KEO DUO Double Kayak	Length: 374 cm / 12'3" Width: 96 cm / 37' 8" Depth: 34 cm / 13'4" Packaging dimensions: 60x40x48 cm Weight: 20 Kg / 40 Lbs	For whitewater, lazy water or fishing

Each boat includes : pressure gauge, air-pump, repair kit, owner manual & carrying bag.

Ask for different models of inflatable kayaks to info@mansuetomarine.it

AIR PUMPS



BRAVO SUPERTURBO BST 12 HP

Code: MM SCO 6130033

High speed and high pressure 12V electric inflator.

- Large air flow: 450l/min
- Automatic: stop when the selected pressure is reached
- Reliable: the combined solution "turbine & piston" allows to eliminate those parts which are subject to mechanical wear and tear
- It can inflate and deflate
- Complete with connectors and carry bag
- More powerful motor
- Motor gear made of brass
- 3 m cable of bigger diameter
- Weight: 1,9 Kg
- Adjustable pressure up to 800mbar (11,7 psi)
- Dimensions: 21x24x18cm



BRAVO SUPERTURBO BST 12 also available.

Code: MM SCO 6130031

- High speed 12V electric inflator
- Adjustable pressure up to 300mbar (4,4 psi)



BRAVO 12

Code: MM SCO 6130001

12V automatic boat inflator.

- Fast: about 150 l/min.
- Powerful: maximum pressure 300 mbar (4.4 psi)
- Adjustable: pressure from 150 to 300 mbar (2.2 psi & 4.4 psi)
- It can inflate and deflate
- Safety: automatic stop at selected pressure
- Complete with universal adaptor
- Dimensions: 23x13x13 cm
- Weight: 1.1 kg



Ideal for boats up to 3-4 meter long.



BRAVO TURBO MAX 12V
BRAVO TURBO MAX 24V

Code: MM SCO 6130022

Code: MM SCO 6130023

Fast electric inflator.

- Capacity: 1000l/min
- Max pressure 250mbar (3,6 psi)
- Adjustable pressure from 175 to 250 mbar with AUTOMATIC SHUT OFF
- 2 powerful motors on bearings mounted on an aluminum plate to disperse the heat
- High performance 3 m cable
- Tube with increased diameter, 3 meter long
- Safety fuse
- Inflates and deflates
- Dimensions: 31x18x19 cm
- Weight: 3.5 kg
- Consumption: 45-60 A max (12V DC inflator) 23-30 A max (24V DC inflator)



Ideal to inflate large rubber dinghies in a few minutes

**BRAVO TURBO MAX KIT 12V**

Code: MM SCO 6130021

BRAVO TURBO MAX KIT 24V

Code: MM SCO 6130036

Kit version for tender console mounting.

- Screws, brackets and inflation connectors included for permanent installation
- 0,5 m power cable with 100A cabled connector

Optional equipment:

TUBE ROLL

Code: MM SCO 3721015

- Length 28mt
- Int. Ø 25mm, Out. Ø 30mm

WATERTIGHT BOX

Code: MM SCO 7401158

- For flush deck installation
- Protects the inflator from sprays and dirt
- Nylon body, clear cover
- Dimensions out of deck: 34,5x22x1,8cm
- Depth inside the deck: 13cm

**BRAVO 230/1000**

Code: MM SCO 6130200

BRAVO 120/1000

Code: MM SCO 6130205

230V & 120V professional electric inflator.

- Air high volume and pressure, sufficient to reach the correct pressure in every kind of boat and/or inflatable structures in general
- Provided with connectors for any kind of use.
- Inflates and deflates
- Motors and fan system of great efficiency and reliability
- Capacity: 1500l/min
- Pressure: 230 mbar (3,3 psi)
- Power: 1100 W
- Dimensions: Ø 16,5 x h 27 cm
- Weight: 3 kg
- 3m cable

**BRAVO 230/2000**

Code: MM SCO 6130206

BRAVO 120/2000

Code: MM SCO 6130320

230V & 120V professional electric inflator

- One main motor and a supplementary one (booster) for greater capacity and pressure
- The two motors can run simultaneously, if needed
- Orange button for the main motor activation
- Red button for booster activation
- Thermal-amperic fuses for motors protection
- Main motor : 1800l/m capacity, 230mbar (3,3psi), 1000W
- Booster: 2500l/m capacity, 500mbar (7,3psi), 2000W
- Dimensions: 32x17x h 26 cm
- Weight: 4,1 kg
- 3 m cable



MANSUETO MARINE

**BRAVO 2005 – INFLATION VALVE**

Code: MM SCO A102801

**BRAVO 2005/A – INFLATION VALVE**

Code: MM SCO A102816

**BRAVO 2001 – INFLATION VALVE**Code: MM SCO A102700 (standard)
Code: MM SCO A102711 (recessed)**BRAVO 2000 – INFLATION VALVE**Code: MM SCO A102706 (standard)
Code: MM SCO A102708 (recessed)**BRAVO 721 – NYLON KEY FOR VALVES**

Code: MM SCO A942010



All above valves are also available in black.

NOTHING IS DIFFICULT
TO THOSE WHO HAVE
THE SUPERPOWERS

CALL YOUR MAN ANYWHERE



CAPTAIN MARINE STORE

www.captainmarine.it

www.mansuetomarine.it

**BRAVO 10 FOOT PUMP**

Code: MM SCO 6090010

- Double chamber pump:
 - High air volume 5lt (less pressure), max 300 mbar (4,4 psi)
 - Lower air volume 1,6l (high pressure, max 800 mbar (11,6 psi))
- Visual pressure indicator
- Manufactured from strong nylon fiberglass reinforced
- Sun and sea environment resistant
- Big but lightweight due to the use of synthetic materials (1.9 kg)
- 4 antislip feet for greater stability
- Standard crush-resistant hose
- Universal hose/valve adaptors supplied as standard
- Dimensions: 35x25xh 8 cm

**BRAVO 9 FOOT PUMP**

Code: MM SCO 6090009

- Double chamber pump
- Suitable for both tubes and floors inflation
- High efficiency – high pressure up to 1,0 bar (14,7 psi)
- Dimensions: 32x23x h 7 cm

**BRAVO 8M FOOT PUMP**

Code: MM SCO 6090018

- Reinforced fabric coated bellow
- All stainless steel metal parts
- Universal adaptor
- Max pressure: 300 mbar (4,4 psi)
- Dimensions: 32x23x h 7 cm
- Capacity: 6,5 l
- Built in gauge meter to allow the instant reading of the pressure



Bravo 8 model, without gauge meter, also available.

**BRAVO 7M FOOT PUMP**

Code: MM SCO 6090017

- Reinforced fabric coated bellow
- All stainless steel metal parts
- Universal adaptor
- Max pressure: 400 mbar (5,8 psi)
- Dimensions: 28x21x h 6 cm
- Capacity: 5 l
- Built in gauge meter to allow the instant reading of the pressure



Bravo 7 model, without gauge meter, also available.

Other foot pumps models available on request.

**BRAVO JUMBO**

Code: MM SCO 6120010

Very resistant hand pump, for a professional use.

- Single-action pump; diameter 12,5 cm (5")
- It can inflate and deflate
- Capacity: 400l/min at 60 strokes/min
- Really strong body made of PVC
- Adjustable hose function (for easier inflation and deflation)
- PVC hose (length 2 m/78")
- Silicon rubber gaskets. Spare gasket for the piston inside the pump.
- Height 70 cm (28")
- Provided with adaptors for the most common types of valves
- Max pressure 300 mbar (4,4 psi)

**BRAVO 4 KITE**

Code: MM SCO 6120042

Double action hand pump.

- 2x2000 cc capacity
- Inflating and deflating action
- Very sturdy aluminum handle
- Suitable for pressures up to 1 bar (14 psi)
- Equipped with elastics for fastening the kite's sail
- Gauge meter of 1 bar (14,7 psi) included

**BRAVO 4 ALU**

Code: MM SCO 6120043

Double action pump.

- Aluminium handle
- 2x2000 cc capacity
- Pressure up to 1 bar
- Body made of PP
- Dimensions: 11x22x45 cm

**BRAVO 6**

Code: MM SCO 6120006

Double action pump.

- 2x2500 cc capacity
- Body made of ABS
- Dimensions: 21x12x47 cm
- It works as a single action pump if top plug is removed

**BRAVO 6M**

Code: MM SCO 6120007

With gauge meter 1 bar - 14,7 psi.



Other hand pumps models for inflatable boats, kite, beach inflatables available on request.

WAKEBOARD



STATE - WAKEBOARD



Code: MM HPL STATE + size

Level: INTERMEDIATE

- Toe side/ Heel side specific edges
- Deeper molded-in toe side fin
- Outer molded-in stabilizers
- Subtle 3-Stage rocker
- Monocoque construction
- Layered glass
- M6 inserts
- Fins: 2-1.3 inch disorder

Sizes: 130, 135, 140, 145 cm

REMIX BOOTS/BINDINGS

Code: MM HPL REMIX + size



- For beginner to intermediate riders
- Hyperplush rear flex zone
- Adjustable / Fixed floating toe
- Dual quick cinch front lace zones
- Single density footbed
- All new low pro plate system
- Open-toe

Sizes: 4-8.5, 7-11, 10-14



VAULT - WAKEBOARD



Code: MM ROX VAULT + size

Level: BEGINNER/INTERMEDIATE

- Sharp and wider profile
- Toeside rail is thinned out to sit deeper in the water creating additional grip
- Toeside fins are deeper, longer and closer to the rail for a strong/stable edge hold
- Heelside rail starts off softer/fuller for a mellower transition, then blends to a more vertical sidewall with less resistance on the water
- Heelside fins are shorter and further from the rail for a quicker release on spinning tricks
- 4 molded asymmetric fin shape
- 2 fiberglass 1.7" fins
- Mod Pour: a stiffer, lighter, super saucy core
- Krypto Cable combined with monocoque laminated glass (strong sidewalls)

Sizes: 128, 134, 139, 143 cm

ONE DEFY - BOOTS/BINDINGS

Code: MM ROX ONEDEFY + size



- Medium density liner
- Intuition liners - Heat formed custom fit
- Rad foam (shock/impact resistance)
- Feetbelts for ultimate heel hold
- Double stuff footbed
- Tool less mounting hardware
- Low friction eyelets
- Eco innovation
- Baseless hardware - low profile design

Sizes: 38/39, 41, 42, 43, 45, 46, 47/48

MANSUETO MARINE



AUSTIN - WAKEBOARD



Code: MM JOB 271313002

Level: ADVANCED

- Armed core
- Hybrid edge
- 3-stage Rocker
- Triple flat spot
- Triaxial layup
- Molded in fins
- 1.0" polycarbonate/plastic fins
- M6 inserts

Size: 138-142

AUSTIN - BOOTS/BINDINGS

Code: MM JOB 393013001



- Velcro strap on top
- Flexible
- Additional flex zone

Sizes: 7/7.5, 8/8.5, 9, 10, 11/12



COMBO 4.0 - WAKE HANDLE/LINE PACKAGE



- Prequel handle combo package.
- Hide stitched embroidered grip
- 3 mm thick memory foam
- 1.15" handle diameter
- 75' mainline w/5 sections
- Strung with 12-strand dynema rope
- Filled inside with EVA for floatation

Code: MM ROX COMBO4.0



COMBO 5.0 - WAKE HANDLE/LINE PACKAGE



- Prequel handle combo package
- Hide with diamond stitch embroidery grip
- 3 mm thick memory foam
- 1.15" handle diameter
- K8 80' mainline w/6 sections
- Strung with 12-strand dynema rope
- Filled inside with EVA for floatation

Code: MM ROX COMBO5.0



PRO WAKEBOARD HANDLE AUSTIN



- A soft EVA foam handle with a nice sticky leather layer around it
- Slick and lightweight nylon-molded end caps
- Grip diameter: 28mm
- 5ft Spectra rope covered with slim PVC piping
- Extremely lightweight

Code: MM JOB 211313001

Get in contact with us for different wakeboards, bindings, ropes and handles.

Wide selection of wakeboard packages from Hyperlite, Ronix, Jobe, also available for any kind of need and level.

www.mansuetomarine.it

WATERSKI

CONNELY

ODYSSEY – COMBO SKIS



Code: MM COY ODYSSEY

Level: BEGINNER

- Construction: Reinforced composite
- Binding option: Adjustable slide binding
- Fin: Glass filled nylon
- High gloss UV top coat
- Stabilizer bar holding skis together

Sizes: 2x 68"/173cm

JOBEO

PRIDE – COMBO SKIS



Code: MM JOB 201012001

Level: BEGINNER/INTERMEDIATE

Can be used as either combo skis or as an entry level slalom ski

- Foam lined adjustable horseshoe bindings with trigger adjustment
- Tunnel bottomed for more stability
- Bright yellow fins for visibility

Sizes: 67"/170cm

JOBEO

SILK LADIES – COMBO SKIS



Code: MM JOB 202413002

Level: BEGINNER/INTERMEDIATE

- Injection-molded combo pair for women
- Can be used as either combo skis or as an entry-level slalom ski
- UV-coated gloss finish
- Foam-lined adjustable horseshoe bindings with trigger adjustment
- Tunnel bottomed for greater stability
- Comes with inserts for a "stabilizing bar"
- Bright yellow fins for visibility

Sizes: 59"/150cm

BUZZ TRAINERS – COMBO SKIS



Code: MM JOB 202613001

Level: BEGINNER

- Wooden combo pair for kids
- Transparent coated sidewalls for ultimate protection
- Towrope with two handles
- Adjustable horseshoe bindings with trigger adjustment
- Bright yellow fins for visibility
- Durable Formica top and base
- Includes detachable "Stabilizing bar" between skis for stability

Sizes: 46"/117cm

JOBEO

ROGUE – SLALOM SKI



Code: MM JOB 260812001

Level: ADVANCED/PROFESSIONAL

- Lightweight PVC core and carbon graphite construction
- Handy screwdriver set to adjust bindings position and competition fin
- 5-stage rocker
- Hybrid concave
- 100% carbon layup
- Adjustable competition fin
- Cheater kit

Sizes: 65", 66", 67"

DEFIANT – SLALOM SKI



Code: MM JOB 201012001

Level: CARVING to ENTHUSIAST

- Full concave bottom design
- Stable "flat spot" allowing the least amount of body movement
- 4-stage rocker
- Carbon/fiberglass composite layup
- Polyurethane core
- Sure lock adjustable fin system
- Cheater kit

Sizes: 65", 67", 68"

MANSUETO MARINE



JOBEO

ROGUE – BINDING

Code: MM JOB 330812001 (front left)
Specify front right, rear left, rear right

- Alu plate with 2 binding mounting positions
- Inner liner
- Articulated heel/ankle assembly
- Bungee dual lacing
- Easy attach lace holder
- Achilles kidneys
- Stretch panel
- Dual density footbed

Sizes: 8/8.5, 9, 10 left and right specific

COMFORT – BINDING

Code: MM JOB 333113001



- Easy entry, relaxed fit
- Inner liner
- Alu plate
- Articulated heel/ankle assembly
- Bungee dual lacing
- Achilles kidneys
- Stretch panel
- Dual density footbed

Sizes: 5/8, 8/11, 11/14

JOBEO

CAPRI COMFORT LADIES – BINDING

Code: MM JOB 333113002



- Alu plate
- Ultra-supportive boot
- Modified and thicker inner liner
- Articulated heel/ankle assembly
- Bungee dual lacing
- Achilles kidneys
- Stretch panel
- Dual density footbed

Sizes: 5/8, 8/11, 11/14

CONNELY

CONNELLY NOVA

Code: MM COY NOVA



- Thick EVA heel rubber wraps
- Achilles pads
- Floating toe rubber stretches
- Single lace system
- Use of use and performance

Sizes: S/M (5-11), L/XL (9-14)

JOBEO

ROGUE – PIVOTING REAR TOE PLATE

Code: MM JOB 333113005



- Beginner to professional
- For leverage and increased edge control
- Nylon plate
- Dual density footbed
- Rogue icons: alu plate

Sizes: mini, standard, XL

COMFORT – PIVOTING REAR TOE PLATE

Code: MM JOB 333113004



- Beginner to professional
- Fully adjustable due to Lace & Lock system
- Alu plate
- Dual density footbed

Sizes: universal

JOBEO

ROGUE – WATERSKI GLOVES

Code: MM JOB 341113002



- Ergonomic fit for men
- Pre-curved fingers with padded fingertips
- Soft and strong Amara fabric
- Kevlar non-slip palm

Sizes: XS, S, M, L, XL, XXL

WATERSKI NEOPRENE GLOVES

Code: MM JOB 340810001



- 2.5mm neoprene gloves for extra warmth
- Glued and blind-stitched seams
- Non-slip silicon-printed hand palm

Sizes: S, M, L, XL, XXL

Inquire at info@mansuetomarine.it
for full range of waterskis and accessories.

www.mansuetomarine.it

WINDSURF BOARDS



NOVA 160D BOARD



Code: MM BIC P8420

For windsurf learning and progressing.

- Length: 255 cm
- Width: 82 cm
- Volume: 160 L
- Weight: 12 Kg
- Construction: TS
- EVA foam covered deck
- Fin: Beach WA30
- Finbox: Deep Tuttle
- Retractable daggersystem: 60 cm
- Ideal sail m2: 2.5 - 6.5



NOVA 205D BOARD



Code: MM BIC P5381

For windsurf learning and progressing.
Big volume board for heavier-weight riders and for schools.

- Length: 293 cm
- Width: 79 cm
- Volume: 205 L
- Weight: 12.5Kg
- Construction: TS
- EVA foam covered deck
- Fin: Beach WA30
- Finbox: Deep Tuttle
- Retractable daggerboard: 60 cm
- Ideal sail m2: 2.5 - 6.5



RIG PACKAGES



Code	Model	Size	Material	Luff	Boom	Ext.	Battens	Cams	Vario Top
MM BIC 11845	NOVA 2,5 m2	2,5 m2	Dacron	245	125	0	1	0	Yes
MM BIC 11846	NOVA 3,2 m2	3,2 m2	Dacron	306	160	0	3	0	Yes
MM BIC 11811	NOVA 4,0 m2	4,0 m2	Dacron	337	160	0	3	0	Yes
MM BIC 11812	NOVA 4,5 m2	4,5 m2	Dacron	375	170	0	4	0	Yes

- For windsurf beginners
- The rig package includes the sail, the mastfoot, the mast and the boom.
- Delivered in a very practical sail bag

MANSUETO MARINE



CORE 160D BOARD



Code: MM BIC P8419

Universal funboard.
For windsurf learning and progressing.
Both for lighter weight beginner windsurfers and bigger sized riders.

- Length: 255 cm
- Width: 82 cm
- Volume: 160 L
- Weight: 11 Kg
- Construction: TS
- Footstraps: Ergoform x 4 positions
- Footpads: 4 pieces, 4 mm thickness
- Fin: Ride 43
- Retractable dagger system: 60 cm
- Finbox: Deep Tuttle
- Ideal sail m2: 2.5 - 9.0



CORE 293D BOARD



Code: MM BIC P5380

The family board.
For windsurf learning and progressing.
For bigger sized beginner riders.

- Length: 293 cm
- Width: 79 cm
- Volume: 205 L
- Weight: 11.5 Kg
- Construction: TS
- Footstraps: Ergoform x 4 positions
- Footpads: 4 pieces, 4 mm thickness
- Fin: Ride 43
- Dagger system: 60 cm
- Finbox: Deep Tuttle
- Ideal sail m2: 2.5 - 9.0



RIG PACKAGES



Code	Model	Size	Material	Luff	Boom	Ext.	Battens	Cams	Vario Top
MM BIC 11847	CORE 5.5 m ²	5,5 m ²	Monofilm	424	175	4	4	0	Yes
MM BIC 11848	CORE 6.0 m ²	6,0 m ²	Monofilm	446	181	16	5	0	Yes
MM BIC 11849	CORE 6.5 m ²	6,5 m ²	Monofilm	460	200	30	5	0	No

- Pure freeride rig
- The rig package includes the sail, the mast, the boom and the mast base.

Please inquire at technical@mansuetomarine.it for accessories,
spare parts and/or other windsurf boards of same or different brands.

www.mansuetomarine.it

WATER TOYS ACCESSORIES



ABS HELMETS

For occasional or intensive users



Pitch



Spiral



Vibe



Vibe Slalom

Code	Model	Size	Basic Colours	Features
MM AQD HE4215 + colour	PITCH	Adjustable from 51 to 62 cm	Yellow, blue, red, white	<ul style="list-style-type: none"> • Ear protection • Inside foam • Adjustable and dismountable head interior • Fast tightening buckle
MM AQD HE4207 + colour	SPIRAL	Adjustable from 51 to 62 cm	Black, yellow, blue, red, white	<ul style="list-style-type: none"> • Rigid ear protection • Inside foam • Adjustable and removable head interior • Quick tightening by clip for closing • Air vents
MM AQD HE4210 + colour	VIBE	Adjustable from 54 to 62 cm	Black, yellow, blue, red, white	<ul style="list-style-type: none"> • Ear protection • Inside Foam • Adjustable head interior • Fast tightening buckle
MM AQD HE4209 + colour	VIBE SLALOM	Adjustable from 54 to 62 cm	Black, yellow, blue, red, white	<ul style="list-style-type: none"> • Ear protection • Inside Foam • Adjustable head interior • Fast tightening buckle

Other helmets brands also available:



WATERSPORT FLAG FLAME ORANGE



Code: MM JOB 210305001
Size: 200 x 14 cm

BUNGEE TUBE TOW ROPE



Code: MM JOB 210303001
15m/49' line
Less stress on towable and boat
Break strength 1465kg/3235 lbs



PROLINE DELUXE TUBE TOW ROPE



Code: MM PUN PRODELUXE
60' 3/8" deluxe duty Poly-E rope
Recommended up to 2 riders
Breaking load 1000kg
PVC safety float for guaranteed buoyancy

PROLINE SUPER DUTY TUBE TOW ROPE



Code: MM PUN PROSUPERDUTY
60' - 3/4" super duty Poly-E rope
Recommended up to 6 riders
Breaking load 2700 kg
PVC safety float for guaranteed buoyancy



ACCURATE HEAVY DUTY TUBE TOW ROPE



Code: MM PUN ACCH034
60' - Recommended for 3-4 riders (up to 300kg)
Breaking load 1800kg

ACCURATE HEAVY DUTY TUBE TOW ROPE



Code: MM PUN ACCH056
60' - Recommended for 5-6 riders (up to 460kg)
Breaking load 2700kg



ACCURATE UNIVERSAL WATERSKI ROPE / HANDLE PACKAGE



Code: MM PUN UNIVERSAL
13" Tacky Rubber Grip
Excellent Durability
75' Recreational Mainline



RACING TOW ROPE FOR SKI



Code: MM OSC 6441900
Bicolour white/orange floating
levilene rope
Light alloy handle, foam coated
White/red float
Ø 7.5mm x L.21.70mt



WATERSKI TOW ROPE FLUO



Code: MM OSC 6442000
Floating levilene rope
Floating light alloy handle coated with soft
Black rubber
Ø 7.5mm x L.21.70mt

RACING WATERSKI TOWING ROPE



Code: MM OSC 6442802
Floating rope
Soft floating handle with light alloy core
8-colour sections for easy shortening
Ø 8mm x L.22.00mt


OSCULATI
WATERSKI RACING TOW ROPE


Code: MM OSC 6442100

Bicolour floating levilene rope
Soft black foam handle, light alloy
interior
Ø 7.5mm x L.21.70mt
White/red float

WATERSKI TOW ROPE SPARE PARTS


Code: MM OSC 6442700

Standard model
Light alloy core handles, soft
rubber coated.



Code: MM OSC 6442701

Standard model
Racing model with tapered
terminals



Code: MM OSC 6442201

White/red float 100x63mm

Wide range of water sports accessories and equipment
like gloves, bags, wetsuits, kneeboards, wakeskates,
wakesurfers, other mainlines, handles
and rope combo packages also available.

EASY ORDERS

CUSTOMER CONTACT CENTRE

www.mansuetomarine.it

+39 0184 573346

